Sanitized Copy Approved for Release 2011/04/05 : CIA-RDP80T00246A057400460001-4 / 8 3

CIA

INFORMATION REPORT INFORMATION REPORT

CENTRAL INTELLIGENCE AGENCY

This material contains information affecting the National Defense of the United States within the meaning of the Espionage Laws, Title 18, U.S.C. Secs. 793 and 794, the transmission or revelation of which in any manner to an unauthorized person is prohibited by law.

Drainage, Extension of Runway, and Electronics Equipment NO. PAGES 1 REFERENCES RD 50X1-HUM			S-E-C-R-E-	· I·		50X1-HUM
Drainage, Extension of Runway, and Electronics Equipment NO. PAGES 1 REFERENCES RD 50X1-HUM ATE OF JFO. LACE & AATE ACC	COUNTRY	East Germany		REPORT		
Drainage, Extension of Runway, and Electronics Equipment NO. PAGES 1 REFERENCES RD 50X1-HUM ATE OF JFO. LACE & AATE ACC	SUBJECT	Brandenburg/Briest A	irfield: Taxiways,	DATE DISTR.	7 JAN 196	1
ATE OF IFO. LACE & ATE ACC		Drainage, Extension Electronics Equipmen	of Runway, and t			
ATE OF IFO. LACE & ATE ACC				REFERENCES	RD	
IFO. LACE & ATE ACC	DATE OF					50X1-HUM
THIS IS LINEWALLIATED INFORMATION. SOURCE GRADINGS ARE DEFINITIVE. APPRAISAL OF CONTENT IS TENTATIVE.	IFO. LACE & ATE ACC					
equipment, telephone lines and cables northwest of the west end of		the main runway.				
equipment, telephone lines and cables northwest of the west end of the main runway.						50X1-HUM
the main runway.						
the main runway.						
the main runway.						46
the main runway.			S-E-C-R	-E-T		50X1-HUM
the main runway. 50X1-HUM S-E-C-R-E-T		V ARMY X NAVY				50X1-HUM

EAST GERMANY

50X1-HUM

Air

BRANDENBURG/BRIEST airfield (1..11.60)

- 1. The S taxi-track (Nebenbahn) which runs parallel with the main runway, has now been virtually completed, and runs right round to join the W end of the main runway. The starting track (Vorstartbahn) at the W end is almost complete except for the last row of cement strips or rectangles on its W side. Dimensions of the starting track are 10 strips of cement each 7.5m. long in the N-3 direction = 75m., and 12 strips of cement each 3.75m. broad in the E-W direction, plus the 14m. width of the taxi-track itself, making a total breadth of 59m.
- 2. As for as the more easterly of the N-S cross-taxi-tracks the ground on each side of the S taxi-track has been built up to the proper level, levelled off and prepared and sown with grass seed.
- Numbering of the coment strips or rectangles in the S texi-trick begins afresh immediately W of the more easterly of the two N-S cross-taxi-tracks. Tubes or pipes to carry cables p ss under coment strip no. 146, which is just before the taxi-track turns N at its W and. The numbering tops at strip no. 146, which is on the curve at the W and of the S taxi-track. From this point there are 25 unnumbered strips of coment in the stratch running N as far as the S side of the W starting track. These strips are all 7.5m. long except for those on the inside of the curve which are proportionately shorter. Similarly, the strips at the outside of the curve are compensatingly longer.
- 4. After the 25 count strips running N to the S side of the starting trace there are 10 strips, each of 7.5%, length, contained in the starting trace itself, followed by 14 strips to bring the trace up to the S side of the L end of the main run ay. The distince but een the W starting track and the run ay is therefore 14 x 7.5%. = 105%.
- 5. A drainage trench, already partly equipped with piping, runs in an E-W direction and some 5m. S of the new parking or dispersal area (Truppenabstellplatz). It begins shortly W of the E end of the parking area, runs along its S side, follows the curve at the S-W corner of the taxi-track, runs N-W leaving the W starting track to the E and on into the open area lying to the W of the airfield bet een it and the road.
- 6. In the first series of coment strips in the S taxi-treck, which run from the S side of the E end of the main run ay to the more E of the too N-S cross-taxi-tracks, pipes to carry cables pass un er strips nos. 1:1 172, i.e. some 105m. E of the more easterly of the too N-S cross-taxi-tracks. Three pipes of some 125 mm. diameter pass under strip no. 171 and one pipe of 200 mm. diameter passes under trip no. 172.

S. SECRET CHATROL

/7.

50X1-HUM

Sanitized Copy Approved for Release 2011/04/05 <u>: CIA-RDP8</u> 0T00246A057400460001-4						
S).						

- 7. Drainage pipes have also been laid some 75 cm. N of the new dispersal or parking area, running E W. After running parallel with the dispersal area they run towards the S-W corner of the S taxi-track and then turn north to join the old drainage pipes of the main runwy, near its W end on the S side, thence running W under the taxi-track into the open area W of the airfield.
- of the runway has been prepared. It has been cleared and levelled but is not to be cemented.
- 9. On the N side of the new parking and dispersal area the ground is being built u, to the level of the parking area and prepared for sowing.
- 10. The ditches or trenches on both sides of the main run ay have been raised to the new level of the run ay. Both trenches are open coment ones, ithout pipes, measuring some 40 cm. deep and 40 cm. broad.
- 11. Once the few remaining cement strips have been laid, the drainage pipes fitted, the trenches filled in and the ground at each side of the S taxi-track and the W starting track built up, the work will be finished. Industrie Bau Brandenburg officials expect to complete the job and be a my by Christmas.
- 12. During the month up to 16 November no movements of men or helicopters took place to or from BRIEST. No Λ/Λ guns are stationed on or near the a/f.
- 13. The radar station manned by EGAF troops in the area N-L of the L end of the Lain run ay consists of 1 x FLATFACE and some W/T trucks equipped with herials. Four telephone lines and one to er cable run along the ground from the radar side, round the S-W corner of the S taxi-track and on in the direction of the a/f control buildings.
- 14. There are some 30 EGAF troops on the rader site, com and d by a Major. They live in huts on the site. Telephone and o er cubles will in due course be laid on permanently to the site. This rader section has no function on behalf of BRIEST a/f but serves as a fighter direction station (Jagerleitstation).

SECRET CONTROL D. S. OFFICIALS ONLY

	Par.
SECRE	

50X1-HUM